

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application:

1-55. (Cancelled).

56. (Currently Amended) A machine-implemented method for communicating with a mobile device, comprising the steps of:

receiving, at a mobile ~~applications~~ interactions server, first registration data from ~~[[an]]~~ a first application of a plurality of applications, wherein the first registration data specifies rules about how mobile devices are allowed to interact with the first application;

receiving, at the mobile interactions server, second registration data from a second application of the plurality of applications, wherein the second registration data specifies rules about how mobile devices are allowed to interact with the second application;

wherein said first application is distinct from said second application;

wherein the plurality of applications each do not execute on any of said mobile devices;

the mobile ~~applications~~ interactions server operating as an intermediary for interactions between ~~[[the]]~~ mobile devices and each of the plurality of applications; and

while operating as an intermediary, the mobile ~~applications~~ interactions server enforcing the rules about how mobile devices are allowed to interact with each of the plurality of applications, wherein each of the plurality of applications is relieved of the responsibility of enforcing the rules about how mobile devices are allowed to interact with said each of the plurality of applications.

1 57. (Currently Amended) The method of Claim 56, further comprising the step of:
2 storing, at the mobile ~~applications~~ interactions server, device data that describes the
3 characteristics of the mobile device.

1 58. (Currently Amended) The method of Claim 57, further comprising the steps of:
2 transforming, based on the device data, response data received from the first application
3 to create transformed response data, wherein the transformed response data is in
4 a format readable by the mobile device; and
5 transmitting the transformed response data to the mobile device.

1 59. (Previously Presented) The method of Claim 57, wherein the step of transforming the
2 response data to create transformed response data comprises the steps of:
3 determining a portion of the response data that is capable of being simultaneously
4 displayed on the mobile device based, at least in part, on the device data;
5 transforming the portion into a transformed portion, wherein the transformed portion is
6 in a format readable by the mobile device; and
7 transmitting the transformed portion to the mobile device without transmitting any
8 remaining portion of the response data.

1 60. (Currently Amended) A machine-readable medium carrying one or more sequences of
2 instructions for communicating with a mobile device, wherein execution of the one or
3 more sequences of instructions by one or more processors causes the one or more
4 processors to perform the steps of:

5 receiving, at a mobile ~~applications~~ interactions server, first registration data from [[an]]
6 a first application of a plurality of applications, wherein the first registration data
7 specifies rules about how mobile devices are allowed to interact with the first
8 application;
9 receiving, at the mobile interactions server, second registration data from a second
10 application of the plurality of applications, wherein the second registration data
11 specifies rules about how mobile devices are allowed to interact with the second
12 application;
13 wherein said first application is distinct from said second application;
14 wherein the plurality of applications each do not execute on any of said mobile devices;
15 the mobile ~~applications~~ interactions server operating as an intermediary for interactions
16 between [[the]] mobile devices and each of the plurality of applications; and
17 while operating as an intermediary, the mobile ~~applications~~ interactions server enforcing
18 the rules about how mobile devices are allowed to interact with each of the
19 plurality of applications, wherein each of the plurality of applications is relieved
20 of the responsibility of enforcing the rules about how mobile devices are allowed
21 to interact with each of the plurality of applications.

1 61. (Currently Amended) The machine-readable medium of Claim 60, wherein execution of
2 the one or more sequences of instructions by the one or more processors causes the one
3 or more processors to perform the steps of:
4 storing, at the mobile ~~applications~~ interactions server, device data that describes the
5 characteristics of the mobile device.

1 62. (Currently Amended) The machine-readable medium of Claim 61, wherein execution of
2 the one or more sequences of instructions by the one or more processors causes the one
3 or more processors to perform the steps of:
4 transforming, based on the device data, response data received from the first application
5 to create transformed response data, wherein the transformed response data is in
6 a format readable by the mobile device; and
7 transmitting the transformed response data to the mobile device.

1 63. (Previously Presented) The machine-readable medium of Claim 61, wherein the step of
2 transforming the response data to create transformed response data comprises the steps
3 of:
4 determining a portion of the response data that is capable of being simultaneously
5 displayed on the mobile device based, at least in part, on the device data;
6 transforming the portion into a transformed portion, wherein the transformed portion is
7 in a format readable by the mobile device; and
8 transmitting the transformed portion to the mobile device without transmitting any
9 remaining portion of the response data.